



ABOUT US

Almost immediately after Abrams inception, we gained major market share, forcing the emergency vehicle safety equipment industry to lower their prices. This drop in cost to consumers accelerated sales of emergency vehicle safety equipment and brought increased safety to roads nationwide.

Touted as the best and most cost effective emergency vehicle safety equipment provider. Abrams has greatly aided in reducing vehicle accidents and pride ourselves with having the highest quality of customer care in the industry. In doing so, we have the industry experts to answer any questions you may have regarding selecting the best emergency vehicle safety equipment for your vehicle or agency's needs, general installation information, customization options and guarantees you 100% customer satisfaction.



WWW.ABRAMSMFG.COM

Abrams

2020 Product Catalog



WWW.ABRAMSMFG.COM

CATALOGING INDEX

2020
PRODUCT
CATALOG

GRILL LIGHTS

Flex 3	03
Flex 6	04
Flex 12	05
Ultra 6	06
Ultra 12	07
Ultra 18	08
T3-300	09
Edge 3	10
Bold 12	11

HIDEAWAYS

Impact 6	15
Blaster 6	16
Blaster 120	17
Blaster 360	18

BEACONS

StarEye 4" Magnet/Permanent Mount	21
StarEye 7" Magnet/Permanent Mount	22
BoldStar 8W Pole Mount.....	23
BoldStar 8W Permanent Mount.....	24
BoldStar 12W Magnetic Mount	25

VISOR & DASH LIGHTS

Blitz X Interior Visor Lightbar	29
Focus 1X 6 LED Dash Light	31
Focus 2X 12 LED Dash Light	32

DECK & LIGHT STICKS

Focus 200 Series	35
Focus 400 Series	36
Focus 600 Series	37
Focus 800 Series	38
Focus 600 Series - Dual Color	39
Focus 800 Series - Dual Color	40

ARROW TRAFFIC ADVISORS

Focus 16 Head Traffic Advisor	43
Focus 16 Head Traffic Advisor - DC	44

RUNNING LIGHTS

Mustang 1X - 15" Running Light	47
Mustang 1X - 26" Running Light	48
Mustang 1X - 38" Running Light	49
Mustang 1X - 49" Running Light	50
Mustang 1X - 60" Running Light	51
Mustang 1X - 72" Running Light	52

LIGHTBARS

OwlEye 10" Lightbar	55
RugEye 10" Mini Light Bar	57
RugEye 20X	58
RugEye 27X	59
RugEye 37X	60
RugEye 47X	61
RugEye 55X	62
RugEye 65X	63

OFF ROAD LIGHTBARS

2 x 5" 20W Off Road LED Lights	65
2 x 8" 40W Off Road LED Lights	65
2 x 11" 60W Off Road LED Lights	65
2 x 14" 80W Off Road LED Lights	66
17" 100W Off Road LED Lightbar	66
20" 120W Off Road LED Lightbar	67
30" 180W Off Road LED Lightbar	67
39" 240W Off Road LED Lightbar	68
50" 300W Off Road LED Lightbar	68
22" NB Series Curved LED	69
32" NB Series Curved LED	69
42" NB Series Curved LED	70
50" NB Series Curved LED	70
52" NB Series Curved LED	70



CATALOGING INDEX

2020
PRODUCT
CATALOG

WORK LIGHTS

HDS LED Work Light - 18W	73
HDS LED Work Light - 27W	74
HDS LED Work Light - 48W	75
HDS LED Work Light - 60W	76
HDS LED Work Light - 100W	77

SEARCH LIGHTS

HighLight 50W	81
HighLight 60W	82

SNOW PLOW LIGHTS

SnowLight Series X - 40W	85
SnowLight Series Z - 40W	86

FORK LIFT LIGHTS

5 in 1 Fork Lift STTBT	89
Arrow Shaped Fork Lift Light	90
Line Shaped Fork Lift Light	91
Square Shaped Fork Lift Light	92

INTERIOR DOME LIGHTS

Round - 25.5W - 5.11"	95
Rectangular - 13.5W - 5.3"	95
45 Degree Angled - 6.4W - 7.8"	96
45 Degree Angled - 12W - 11.8"	96
Rectangular - 11.6W - 11.8"	97
Rectangular - 21W - 7.3"	97

PARKING LIGHTS

Square	99
Round	100

BUS TAIL LIGHTS

7" Round - 47 LED Bus Light	103
-----------------------------------	-----

TRAILER TAIL LIGHTS

4" Round - 10 LEDs	107
4" Round - 24 LEDs	108
6" Oval - 10 LEDs	109
6" Oval - 24 LEDs	110
6" Oval - 6 LEDs	111
4" Round - 6 LED Mid-Turn	112
6" Oval - 35 LED Sequential Turn	113
6" Oval - 9 LED Mid-Turn	114
5"x3" Rectangular - 10 LEDs	115
5"x3" Rectangular - 24 LEDs	116

COMBINATION LIGHTS

Fiesta Combo	119
--------------------	-----

TRAILER CLEARANCE LIGHTS

3/4" Bullet Clearance Lights	123
2" Round Side Marker Lights	124
2.5" Round Side Marker Lights	125
4" Rectangular Side Marker Lights	126

TRAILER LIGHT ID BAR

9 LED Clearance ID Lightbar	129
-----------------------------------	-----

TRAILER LICENSE PLATE LIGHTS

Bracket Mount License Plate Light	133
Stud Mount License Plate Light	134
Surface Mount License Plate Light	135



CATALOGING INDEX

2020
PRODUCT
CATALOG

REFLECTIVE TAPE

Solas Reflective Tape 2"	139
DOT C2 2 x 30 Reflective Tape	140
DOT C2 2 x 50 Reflective Tape	141
DOT C2 2 x 75 Reflective Tape	142
DOT Reflective Tape 2 x 150	143

SIRENS SYSTEMS

100W Escape Console Siren	147
200W Escape Console Siren	147
100W Expedition Handheld Siren	148
100W Expedition Handheld Siren	149
100W Motor Cycle Siren System	150

SPEAKERS

100W ECO Siren Speaker	153
100W Slim Siren Speaker	154
100W Ultra Siren Speaker	155
100W Rouge Siren Speaker	156
200W Supreme Siren Speaker	157

BACKUP ALARMS

102db Backup Alarm	161
112db Backup Alarm	162

SWITCH PANELS


Taurus 1 Way Switch Box Panel	165
Taurus 2 Way Switch Box Panel	166
Taurus 3 Way Switch Box Panel	167
Taurus 4 Way Switch Box Panel	168
Taurus 5 Way Switch Box Panel	169

ACCESSORIES

Edge & T3 Series L Shape Bracket	173
Impact & Blaster Series L Shape Bracket	173
Impact & Blaster Series Pop-In Gromet	173
Flex Series L Shape Bracket	174
Flex Series C Shape Bracket	174

TRAILER LIGHT GROMMETS

2" R. Clearance Light Rubber Grommet	177
2.5" R. Clearance Light Rubber Grommet	177
4" R. Clearance Light Rubber Grommet	177
5" R. Clearance Light Rubber Grommet	178
6" R. Clearance Light Rubber Grommet	178





GRILL LIGHTS


USE ALMOST ANYWHERE ON THE VEHICLE



FLEX 3 SERIES

LED GRILLE LIGHT HEAD

PRODUCT FEATURES



Standard Industry Size



IP67-Rated Waterproof



Dustproof & Shockproof



Energy Efficient LEDs



SAE Class 1



21 Flash Patterns



7th Generation LED



Built in Flasher



Pattern Memory Recall



Fit Anywhere



Heat Sink



Mounting Flange



Turn, Brake Tail Light



5 yr Warranty



Sync. Between Multiple Units

SPECIFICATION

SKU	Flex 3-X
Product Dimensions	3.25" x 0.96" x 0.65"
Item Weight	2.4 Ounces
Bulb Type	LED
Amperage	1 A
Voltage	10-30 VDC
Wattage	9 W
LED Count	3 LED
Waterproof	IP67 Rated
Light Spread	Linear Spread
Color Type	Single Color
Available Colors	Amber  Blue  Green  Purple  Red  White 

Flex 3-A



Flex 3-B



Flex 3-G




Flex 3-P



Flex 3-R



Flex 3-W



FLEX 6 SERIES

LED GRILLE LIGHT HEAD

PRODUCT FEATURES



Standard Industry Size



IP67-Rated Waterproof



Dustproof & Shockproof



Energy Efficient LEDs



SAE Class 1



30 Flash Patterns



7th Generation LED



Built in Flasher



Pattern Memory Recall



Fit Anywhere



Heat Sink



Mounting Flange



Turn, Brake Tail Light



5 yr Warranty




Sync. Between Multiple Units

SPECIFICATION


SKU	Flex 6-XX
Product Dimensions	3.87" x 0.97" x 0.65"
Item Weight	3 Ounces
Bulb Type	LED
Amperage	1.5 A
Voltage	10-30 VDC
Wattage	18 W
LED Count	6 LED
Waterproof	IP67 Rated
Light Spread	Linear Spread
Color Type	Single/Split Color
Available Colors	Amber  Purple  Blue  Red  Green  White  Amber/Blue  Amber/Green  Amber/Red  Amber/White  Blue/White  Green/White  Purple/White  Red/Blue  Red/White 



Flex 6-AA



Flex 6-BB



Flex 6-GG



Flex 6-PP




Flex 6-RR



Flex 6-WW




Flex 6-AB



Flex 6-AG



Flex 6-AR




Flex 6-AW



Flex 6-BW



Flex 6-GW



Flex 6-PW



Flex 6-RB



Flex 6-RW

FLEX 12 SERIES

LED GRILLE LIGHT HEAD



PRODUCT FEATURES

SAE Class 1

63+ Flash Patterns

7th Generation LED

Built in Flasher

Pattern Memory Recall

Fit Anywhere

Heat Sink

Mounting Flange

Turn, Brake Tail Light

5 yr Warranty

Sync. Between Multiple Units

Independent Color Control

Standard Industry Size

IP67-Rated Waterproof

Dustproof & Shockproof

Energy Efficient LEDs

SPECIFICATION	
SKU	Flex 12-XX
Product Dimensions	5" x 0.87" x 0.68"
Item Weight	4 Ounces
Bulb Type	LED
Amperage	2 A
Voltage	10-30 VDC
Wattage	36 W
LED Count	12 LED
Waterproof	IP67 Rated
Light Spread	Linear Spread
Color Type	Single/Split/Dual Color
Available Colors	Amber Blue Green Amber/Blue Amber/Green Amber/Red Amber/White Blue/White Green/White Purple/White Red/Blue Red/White Purple Red White

Flex 12-AA

Flex 12-AB

Flex 12-BB

Flex 12-AG

Flex 12-AR

Flex 12-AW

Flex 12-BW

Flex 12-GW

Flex 12-PW

Flex 12-RB

Flex 12-RW

Flex 12-GG

Flex 12-PP

Flex 12-R

Flex 12-WW

ULTRA 6 SERIES

ULTRA LED LIGHT HEAD



PRODUCT FEATURES

SAE Class 1

29 Flash Patterns

7th Generation LED

Built in Flasher

Pattern Memory Recall

Fit Anywhere

Heat Sink

Mounting Flange

Turn, Brake Tail Light

5 yr Warranty

Sync. Between Multiple Units

Standard Industry Size

IP67-Rated Waterproof

Dustproof & Shockproof

Energy Efficient LEDs

SPECIFICATION	
SKU	Ultra 6-XX
Product Dimensions	4.74" x 0.56" x 1.26"
Item Weight	3.36 ounces
Bulb Type	LED
Amperage	2 A
Voltage	10-30 VDC
Wattage	18 W
LED Count	6 LED
Waterproof	IP67 Rated
Light Spread	Linear Spread
Color Type	Single/Split Color
Available Colors	Amber Blue Green Amber/Blue Amber/Green Amber/Red Amber/White Blue/White Green/White Purple/White Red/Blue Red/White Purple Red White

Ultra 6-AA

Ultra 6-AB

Ultra 6-BB

Ultra 6-AG

Ultra 6-AR

Ultra 6-AW

Ultra 6-BW

Ultra 6-GW

Ultra 6-PW

Ultra 6-RB

Ultra 6-RW

Ultra 6-GG

Ultra 6-PP

Ultra 6-R

Ultra 6-WW

ULTRA 18 SERIES

ULTRA LED LIGHT HEAD



- Standard Industry Size
- IP67-Rated Waterproof
- Dustproof & Shockproof
- Energy Efficient LEDs

PRODUCT FEATURES

- SAE CLASS I
- 24+ Flash Patterns
- 7th Generation LED
- Built in Flasher
- PATTERN
- FIT
- HEAT SINK
- MOUNTING
- Pattern Memory Recall
- Fit Anywhere
- Heat Sink
- Mounting Flange
- TBT
- 5 yr Warranty
- SYNC
- CONTROL
- Turn, Brake Tail Light
- 5 yr Warranty
- Sync. Between Multiple Units
- Independent Color Control

SPECIFICATION

SKU	Ultra 18-XXX
Product Dimensions	4.74" x 0.56" x 1.26"
Item Weight	3.52 ounces
Bulb Type	LED
Amperage	6 A
Voltage	10-30 VDC
Wattage	72 W
LED Count	18 LED
Waterproof	IP67 Rated
Linear Spread	Linear Spread
Color Type	Single/Dual/Tri Color
Available Colors	Blue/Amber/White Green/Amber/White Red/Amber/White Red/Blue/Amber Red/Blue/White



Ultra 18-BAW



Ultra 18-GAW



Ultra 18-RAW



Ultra 18-RBA



Ultra 18-RBW

ULTRA 12 SERIES

ULTRA LED LIGHT HEAD



- Standard Industry Size
- IP67-Rated Waterproof
- Dustproof & Shockproof
- Energy Efficient LEDs

PRODUCT FEATURES

- SAE CLASS I
- 69 Flash Patterns
- 7th Generation LED
- Built in Flasher
- PATTERN
- FIT
- HEAT SINK
- MOUNTING
- Pattern Memory Recall
- Fit Anywhere
- Heat Sink
- Mounting Flange
- TBT
- 5 yr Warranty
- SYNC
- CONTROL
- Turn, Brake Tail Light
- 5 yr Warranty
- Sync. Between Multiple Units
- Independent Color Control

SPECIFICATION

SKU	Ultra 12-XX
Product Dimensions	4.74" x 0.56" x 1.26"
Item Weight	3.36 ounces
Bulb Type	LED
Amperage	3 A
Voltage	10-30 VDC
Wattage	36 W
LED Count	12 LED
Waterproof	IP67 Rated
Light Spread	Linear Spread
Color Type	Single/Split/Dual Color
Available Colors	Amber Blue Green Amber/Blue Amber/Green Amber/Red Amber/White Blue/White Green/White Purple/White Red/Blue Red/White Purple Red White



Ultra 12-AA



Ultra 12-AB



Ultra 12-BB



Ultra 12-AG



Ultra 12-GG



Ultra 12-AW




Ultra 12-BW



Ultra 12-BW



Ultra 12-GW



Ultra 12-GW



Ultra 12-PW



Ultra 12-PW



Ultra 12-RR



Ultra 12-RB

Ultra 12-RB


Ultra 12-RW

T3 SERIES

T3 LED LIGHT HEAD



PRODUCT FEATURES



SPECIFICATION

SKU	TG 300-X
Product Dimensions	3.1" x 1" x 1.5"
Item Weight	3 Ounces
Bulb Type	LED
Amperage	1 A
Voltage	10-30 VDC
Wattage	9 Watt
LED Count	3 LED
Waterproof	IP67 Rated
Light Spread	TIR Spread
Color Type	Single Color
Available Colors	Amber Blue Green Purple Red White

TG 300-A



TG 300-B



TG 300-G



TG 300-P



TG 300-R



TG 300-W



EDGE 3 SERIES

EDGE LED LIGHT HEAD



PRODUCT FEATURES



SPECIFICATION

SKU	EG 300-X
Product Dimensions	3.1" x 1" x 1.5"
Item Weight	3 Ounces
Bulb Type	LED
Amperage	1 A
Voltage	10-30 VDC
Wattage	9 Watt
LED Count	3 LED
Waterproof	IP67 Rated
Light Spread	Linear Spread
Color Type	Single Color
Available Colors	Amber Blue Green Purple Red White

EG 300-A



EG 300-B



EG 300-G



EG 300-P



EG 300-R



EG 300-W



BOLD 12 SERIES

BOLD LED GRILLE LIGHT



Standard Industry Size



IP67-Rated Waterproof



Dustproof & Shockproof



Energy Efficient LEDs

PRODUCT FEATURES



SAE Class 1



37+ Flash Patterns



7th Generation LED



Built in Flasher



Pattern Memory Recall



Fit Anywhere



Heat Sink



Mounting Flange



Turn, Brake Tail Light



5 yr Warranty



Sync. Between Multiple Units

SPECIFICATION


SKU	Bold 12-XX
Product Dimensions	4.72" x 2.75" x 1"
Item Weight	7.7 ounces
Bulb Type	LED
Amperage	1.7 A
Voltage	10-30 VDC
Wattage	36 Watt
LED Count	12 LED
Waterproof	IP67 Rated
Light Spread	Linear Spread
Color Type	Single Color, Split Color
Available Colors	Amber Blue Green Amber/Blue Amber/Green Amber/Red Amber/White Blue/White Green/White Purple/White Red/Blue Red/White Purple Red White



Bold 12-AA



Bold 12-BB



Bold 12-GG



Bold 12-PP



Bold 12-RR



Bold 12-WW

Bold 12-AB

Bold 12-AG

Bold 12-AR

Bold 12-AW

Bold 12-BW

Bold 12-GW

Bold 12-PW

Bold 12-RB

Bold 12-RW





HIDEWAYS

SMALL SIZE - HIGH INTENSITY
PLACE ANYWHERE ON VEHICLE

IMPACT 6 SERIES

LED HIDEWAY LIGHTS



SPECIFICATION

SKU	Impact 6-XX
Product Dimensions	1.5" x 1" x 1"
Item Weight	10 ounces
Bulb Type	LED
Amperage	1 A
Voltage	10-30 VDC
Wattage	18 W
LED Count	6 LED
Light Spread	180 Degree Spread
Colors Type	Single/Dual Color
Available Colors	Amber Blue Green Purple Red White Amber/Blue Amber/Green Amber/Red Amber/White Blue/White Green/White Purple/White Red/Blue Red/White

PRODUCT FEATURES



Impact 6-AA



Impact 6-AB



Impact 6-BB



Impact 6-AR



Impact 6-GG



Impact 6-AW



Impact 6-PP



Impact 6-GW



Impact 6-RR



Impact 6-PW



Impact 6-WW



Impact 6-RB



Impact 6-RW



BLASTER 6 SERIES

HIDEWAY LED LIGHTS



SPECIFICATION

SKU	Blaster 6-XX
Product Dimensions	1.5" x 1" x 1"
Item Weight	10 ounces
Bulb Type	LED
Amperage	2 A
Voltage	10-30 VDC
Wattage	18 Watt
LED Count	6 LED
Waterproof	IP67 Rated
Light Spread	120 Degree Spread
Color Type	Single/Dual Color
Available Colors	Amber Blue Green Purple Red White Amber/Blue Amber/Green Amber/Red Amber/White Blue/White Green/White Purple/White Red/Blue Red/White

PRODUCT FEATURES



Blaster 6-AA



Blaster 6-AB



Blaster 6-BB



Blaster 6-AG



Blaster 6-GG



Blaster 6-AR



Blaster 6-PP



Blaster 6-AW



Blaster 6-RR



Blaster 6-BW



Blaster 6-WW



Blaster 6-GW



Blaster 6-PW



Blaster 6-RB



Blaster 6-RW



BLASTER 120 SERIES

HIDEWAY LED LIGHTS



PRODUCT FEATURES



SPECIFICATION

SKU	Blaster 120-XX
Product Dimensions	1.5" x 1" x 1"
Item Weight	10 ounces
Bulb Type	LED
Amperage	2 A
Voltage	10-30 VDC
Wattage	36 Watt
LED Count	12 LED
Waterproof	IP67 Rated
Light Spread	120 Degree Spread
Color Type	Single/Split Color
Available Colors	Amber Blue Green Amber/Blue Amber/Green Amber/Red Amber/White Blue/White Green/White Purple/White Red/Blue Red/White Purple Red White



BLASTER 360 SERIES

HIDEWAY LED LIGHTS



PRODUCT FEATURES



SPECIFICATION

SKU	Blaster 360-XX
Product Dimensions	1.5" x 1" x 1"
Item Weight	10 ounces
Bulb Type	LED
Amperage	2 A
Voltage	10-30 VDC
Wattage	18 Watt
LED Count	6 LED
Waterproof	IP67 Rated
Light Spread	360 Degree Spread
Color Type	Single/Dual Color
Available Colors	Amber Blue Green Amber/Blue Amber/Green Amber/Red Amber/White Blue/White Green/White Purple/White Red/Blue Red, White Purple Red White





BEACONS

VISIBILITY IN ALL WEATHER CONDITIONS

STAREYE 4" SERIES

MAGNET/PERMANENT BEACON



PRODUCT FEATURES



SPECIFICATION

SKU	StarEye 4-X
Product Dimensions	4" H x 5 1/8" D
Item Weight	1 Pound
Bulb Type	LED
Amperage	2 A
Voltage	10-30 VDC
Wattage	36 Watt
LED Count	12 LED
Waterproof	IP66 Rated
Light Spread	360 Degree Spread
Color Type	Single Color
Available Colors	Amber Blue Green Purple Red White



STAREYE 7" SERIES

MAGNET/PERMANENT LIGHTBAR



PRODUCT FEATURES



SPECIFICATION

SKU	StarEye 7-X
Product Dimensions	7" H x 6.5" D
Item Weight	1.5 pounds
Bulb Type	LED
Amperage	2 A
Voltage	10-30 VDC
Wattage	36 Watt
LED Count	12 LED
Waterproof	IP66 Rated
Light Spread	360 Degree Spread
Color Type	Single Color
Available Colors	Amber Blue Green Purple Red White




BOLDSTAR 8W POLE MOUNT

BOLDSTAR POLE MOUNT BEACON



PRODUCT FEATURES



SPECIFICATION

SKU	BS-300-P
Dimensions	3.7"D x 4.13"H
Item Weight	10.7 ounces
Bulb Type	LED
Amperage	0.6 A
Voltage	10-32 VDC
Wattage	8 Watt
LED Count	16 LED
Waterproof	IP67 Rated
Light Spread	360 Degree Spread
Color Type	Single Color
Available Colors	Amber




BOLDSTAR 8W PERMANENT MOUNT

BOLDSTAR LED BEACON STROBE LIGHT




PRODUCT FEATURES



SPECIFICATION

SKU	BS-300-BP
Dimensions	3.7"D x 4.13" H
Item Weight	10.9 ounces
Bulb Type	LED
Amperage	0.6 A
Voltage	10-32 VDC
Wattage	8 Watt
LED Count	16 LED
Waterproof	IP67 Rated
Light Spread	360 Degree Spread
Color Type	Single Color
Available Colors	Amber



BOLDSTAR 12W MAGNETIC MOUNT


BOLDSTAR MAGNETIC/PERMANENT BEACON

PRODUCT FEATURES



SPECIFICATION

SKU	BS-300-M
Dimensions	5.11"D x 4.8" H
Item Weight	2 pounds
Bulb Type	LED
Amperage	1 A
Voltage	10-32 VDC
Wattage	12 Watt
LED Count	24 LED
Waterproof	IP67 Rated
Light Spread	360 Degree Spread
Color Type	Single Color
Available Colors	Amber





VISOR & DASH LIGHTS

PERFECT FOR UNDERCOVER AND
UNMARKED CARS

BLITZ X VISOR LIGHTBAR SERIES

INTERIOR VISOR LIGHTBAR



Tri Color

Standard
Industry Size3 Warning
ModeDustproof &
ShockproofEnergy
Efficient LEDs

SPECIFICATION

SKU	Blitz X-XXX
Dimensions	13.8"L x 0.76"H x 4.72" / 3.31"D
Item Weight	2 pounds
Bulb Type	LED
Amperage	8 A
Voltage	10-30 VDC
Wattage	216 Watt
LED Count	72 LED
Light Spread	Linear Spread
Flash Option	Single/Split/Dual or Tri Color
Available Colors	Blue/Amber/White Green/Amber/White Red/Amber/White Red/Blue/Amber Red/Blue/White Purple/Green/White ☐ ☐ ☐ ☐ ☐ ☐

PRODUCT FEATURES



SAE Class 1

210+ Flash
Patterns7th Generation
LED

Built in Flasher

Pattern Memory
Recall

Heat Sink

Mounting
Hardware

5 yr Warranty



Dim Mode




Cruise Mode




Take Down

8 Traffic Adviser
PatternsIndependent
Color Control


Super Slim




Blitz X-BAW




Blitz X-GAW




Blitz X-RAW



Blitz X-RBA



Blitz X-RBW



Blitz X-PGW

FOCUS 1X SERIES

FOCUS LED DASH LIGHT



SPECIFICATION

SKU	Focus 1X-X
Product Dimensions	4.5" x 1.75" x 1.875"
Item Weight	1.28 pounds
Bulb Type	LED
Amperage	1 A
Voltage	10-30 VDC
Wattage	18 Watt
LED Count	6 LED
Waterproof	IP67 Rated
Light Spread	Linear Spread
Color Type	Single Color
Available Colors	Amber  Blue  Green  Purple  Red  White 

PRODUCT FEATURES




Focus 1X-A



Focus 1X-B



Focus 1X-G



Focus 1X-P



Focus 1X-R



Focus 1X-W



FOCUS 2X SERIES

FOCUS LED DASH LIGHT



SPECIFICATION

SKU	Focus 2X-XX
Product Dimensions	8.5" x 1.75" x 1.875"
Item Weight	1.75 pounds
Bulb Type	LED
Amperage	2 A
Voltage	10-30 VDC
Wattage	36 Watt
LED Count	12 LED
Waterproof	IP67 Rated
Light Spread	Linear Spread
Color Type	Single/Split Color
Available Colors	Amber  Blue  Green  Amber/Blue  Amber/Green  Amber/Red  Amber/White  Blue/White  Green/White  Purple/White  Red/Blue  Red/White  Purple  Red  White 

PRODUCT FEATURES



Focus 2X-AA



Focus 2X-BB



Focus 2X-GG



Focus 2X-PP



Focus 2X-RR



Focus 2X-WW



Focus 2X-AB



Focus 2X-AG



Focus 2X-AR



Focus 2X-AW



Focus 2X-BW



Focus 2X-BW



Focus 2X-PW



Focus 2X-RB



Focus 2X-RW



DECK & LIGHT STICKS


INCREASED VISIBILITY OF ALL
EMERGENCY RESPONSE VEHICLES

FOCUS 200 SERIES

DASH & DECK LED LIGHT BAR




PRODUCT FEATURES



SPECIFICATION

SKU	Focus 200-XX
Product Dimensions	8.7" x 2.71" x 1.64"
Item Weight	1.67 pounds
Bulb Type	LED
Amperage	1.6 A
Voltage	10-30 VDC
Wattage	48 Watt
LED Count	16 LED
Waterproof	IP66 Rated
Light Spread	Linear Spread
Color Type	Single/Split Color
Available Colors	Amber Blue Green Amber/Blue Amber/Green Amber/Red Amber/White Blue/White Green/White Purple/White Red/Blue Red/White Purple Red White Amber/Blue Amber/Green Amber/Red Amber/White Blue/White Green/White Purple/White Red/Blue Red/White




FOCUS 400 SERIES

DASH & DECK LED LIGHT BAR



PRODUCT FEATURES



SPECIFICATION

SKU	Focus 400-XX
Product Dimensions	17.72" x 2.71" x 1.64"
Item Weight	2.8 pounds
Bulb Type	LED
Amperage	3.2 A
Voltage	10-30 VDC
Wattage	96 Watt
LED Count	32 LED
Waterproof	IP66 Rated
Light Spread	Linear Spread
Color Type	Single/Split Color
Available Colors	Amber Blue Green Amber/Blue Amber/Green Amber/Red Amber/White Blue/White Green/White Purple/White Red/Blue Red/White Purple Red White Amber/Blue Amber/Green Amber/Red Amber/White Blue/White Green/White Purple/White Red/Blue Red/White




FOCUS 600 SERIES

DASH & DECK LED LIGHT STICK




PRODUCT FEATURES



SPECIFICATION

SKU	Focus 600-XX
Product Dimensions	26.65" x 2.71" x 1.64"
Item Weight	3 pounds
Bulb Type	LED
Amperage	4.8 A
Voltage	10-30 VDC
Wattage	144 Watt
LED Count	48 LED
Waterproof	IP66 Rated
Light Spread	Linear Spread
Color Type	Single/Split Color
Available Colors	Amber Blue Green Amber/Blue Amber/Green Amber/Red Amber/White Blue/White Green/White Purple/White Red/Blue Red/White Purple Red White



FOCUS 800 SERIES

DASH & DECK LED LIGHT STICK




PRODUCT FEATURES



SPECIFICATION

SKU	Focus 800-XX
Product Dimensions	35.67" x 2.71" x 1.64"
Item Weight	5 pounds
Bulb Type	LED
Amperage	6.4 A
Voltage	10-30 VDC
Wattage	192 Watt
LED Count	64 LED
Waterproof	IP66 Rated
Light Spread	Linear Spread
Color Type	Single/Split Color
Available Colors	Amber Blue Green Amber/Blue Amber/Green Amber/Red Amber/White Blue/White Green/White Purple/White Red/Blue Red/White Purple Red White



FOCUS 600 DC SERIES


DUAL COLOR LED LIGHT STICK



AVAILABLE WITH AMBER OVERRIDE



PRODUCT FEATURES



AVAILABLE WITH AMBER OVERRIDE



Focus 600-BA-DC



AVAILABLE WITH AMBER OVERRIDE



Focus 600-RA-DC



AVAILABLE WITH AMBER OVERRIDE



Focus 600-RBA-DC



SPECIFICATION

SKU	Focus 600-XX-DC
Product Dimensions	26.65" x 2.71" x 1.64"
Item Weight	3 pounds
Bulb Type	LED
Amperage	4.8 A
Voltage	10-30 VDC
Wattage	144 Watt
LED Count	48 LED
Waterproof	IP66 Rated
Light Spread	Linear Spread
Color Type	Dual Color
Available Colors	Blue/Amber
	Red/Amber
	Red/Blue/Amber

FOCUS 800 DC SERIES

DUAL COLOR LED LIGHT STICK



AVAILABLE WITH AMBER OVERRIDE



PRODUCT FEATURES



AVAILABLE WITH AMBER OVERRIDE



Focus 800-BA-DC



AVAILABLE WITH AMBER OVERRIDE



Focus 800-RBA-DC



AVAILABLE WITH AMBER OVERRIDE



Focus 800-RA-DC



SPECIFICATION

SKU	Focus 800-XX-DC
Product Dimensions	35.67" x 2.71" x 1.64"
Item Weight	5 pounds
Bulb Type	LED
Amperage	6.4 A
Voltage	10-30 VDC
Wattage	192 Watt
LED Count	64 LED
Waterproof	IP66 Rated
Light Spread	Linear Spread
Color Type	Dual Color
Available Colors	Blue/Amber
	Red/Amber
	Red/Blue/Amber



ARROW TRAFFIC ADVISORS


GIVE THE FOCUSED DIRECTION

FOCUS 1600 SERIES

TRAFFIC ADVISOR ARROW LIGHT







PRODUCT FEATURES



SPECIFICATION

SKU	Focus 1600-XX
Product Dimensions	24.42" x 20.70" x 3.22" (Left Arrow) 24.42" x 20.70" x 3.22" (Right Arrow)
Item Weight	8 Pounds
Bulb Type	LED
Amperage	8 A
Voltage	10-30 VDC
Wattage	384 Watt
LED Count	128 LED
Waterproof	IP66 Rated
Material	Robust polycarbonate and rust-resistant steel
Light Spread	Linear Spread
Color Type	Single/Split Color
Available Colors	Amber Blue Red Red/Blue



FOCUS 1600 DC SERIES

DUAL COLOR TRAFFIC ADVISOR ARROW LIGHT





PRODUCT FEATURES



SPECIFICATION

SKU	Focus 1600-XX-DC
Product Dimensions	24.42" x 20.70" x 3.22" (Left Arrow) 24.42" x 20.70" x 3.22" (Right Arrow)
Item Weight	8 Pounds
Bulb Type	LED
Amperage	8 A
Voltage	10-30 VDC
Wattage	384 Watt
LED Count	128 LED
Waterproof	IP66 Rated
Material	Robust polycarbonate and rust-resistant steel
Light Spread	Linear Spread
Color Type	Dual Color
Available Colors	Red/Blue/Amber Red/Amber Blue/Amber





RUNNING LIGHTS

SUPER SLICK, INNOVATIVE
AND MANY OPTIONS TO CHOOSE FROM



MUSTANG 1X SERIES

15" ROCKER PANEL RUNNING LIGHT



PRODUCT FEATURES



SPECIFICATION

SKU	Mustang 1X-XX
Product Dimension	15.2" x 0.90" x 0.31"
Bulb Type	LED
Amperage	0.8 A
Voltage	10-30 VDC
Wattage	36 Watt
LED Count	12 LED
Waterproof	IP67 Rated
Light Spread	Linear Spread
Color Type	Single, Dual, and Tri Color
Available Colors	Amber Blue Green Amber/Blue Amber/Green Amber/Red Amber/White Blue/White Green/White Purple/White Red/Blue Red/White Red/White/Blue Red/Blue/Amber Purple Red White



MUSTANG 2X SERIES

26" ROCKER PANEL RUNNING LIGHT



PRODUCT FEATURES



SPECIFICATION

SKU	Mustang 2X-XX
Product Dimension	26.6" x 0.90" x 0.31"
Bulb Type	LED
Amperage	1.6 A
Voltage	10-30 VDC
Wattage	72 Watt
LED Count	24 LED
Waterproof	IP67 Rated
Light Spread	Linear Spread
Color Type	Single, Dual, and Tri Color
Available Colors	Amber Blue Green Amber/Blue Amber/Green Amber/Red Amber/White Blue/White Green/White Purple/White Red/Blue Red/White Red/White/Blue Red/Blue/Amber Purple Red White



MUSTANG 3X SERIES

38" ROCKER PANEL RUNNING LIGHT



PRODUCT FEATURES



SPECIFICATION

SKU	Mustang 3X-XX
Product Dimension	38" x 0.90" x 0.31"
Bulb Type	LED
Amperage	2.4 A
Voltage	10-30 VDC
Wattage	108 Watt
LED Count	36 LED
Waterproof	IP67 Rated
Light Spread	Linear Spread
Color Type	Single, Dual, and Tri Color
Available Colors	Amber Blue Green Amber/Blue Amber/Green Amber/Red Amber/White Blue/White Green/White Purple/White Red/Blue Red/White Red/White/Blue Red/Blue/Amber Purple Red White Amber/Red Amber/White Blue/White Green/White Purple/White Red/Blue Red/White Red/White/Blue Red/Blue/Amber



MUSTANG 4X SERIES

49" ROCKER PANEL RUNNING LIGHT




PRODUCT FEATURES



SPECIFICATION

SKU	Mustang 4X-XX
Product Dimensions	49" x 0.90" x 0.31"
Item Weight	2 pounds
Bulb Type	LED
Amperage	3.2 A
Voltage	10-30 VDC
Wattage	144 Watt
LED Count	48 LED
Waterproof	IP67 Rated
Light Spread	Linear Spread
Color Type	Single, Dual, and Tri Color
Available Colors	Amber Blue Green Amber/Blue Amber/Green Amber/Red Amber/White Blue/White Green/White Purple/White Red/Blue Red/White Red/White/Blue Red/Blue/Amber Purple Red White Amber/Red Amber/White Blue/White Green/White Purple/White Red/Blue Red/White Red/White/Blue Red/Blue/Amber




MUSTANG 5X SERIES

60" ROCKER PANEL RUNNING LIGHT




PRODUCT FEATURES



SPECIFICATION

SKU	Mustang 5X-XX
Product Dimensions	60" x 0.90" x 0.31"
Item Weight	3 pounds
Bulb Type	LED
Amperage	4 A
Voltage	10-30 VDC
Wattage	180 Watt
LED Count	60 LED
Waterproof	IP67 Rated
Light Spread	Linear Spread
Color Type	Single, Dual, and Tri Color
Available Colors	Amber Blue Green Amber/Blue Amber/Green Amber/Red Amber/White Blue/White Green/White Purple/White Red/Blue Red/White Red/White/Blue Red/Blue/Amber Purple Red White Amber/Blue Amber/Green Amber/Red Amber/White Blue/White Green/White Purple/White Red/Blue Red/White Red/White/Blue Red/Blue/Amber




MUSTANG 6X SERIES

72" ROCKER PANEL RUNNING LIGHT




PRODUCT FEATURES



SPECIFICATION

SKU	Mustang 6X-XX
Product Dimensions	72" x 0.90" x 0.31"
Item Weight	4 pounds
Bulb Type	LED
Amperage	4.8 A
Voltage	10-30 VDC
Wattage	216 Watt
LED Count	72 LED
Waterproof	IP67 Rated
Light Spread	Linear Spread
Color Type	Single, Dual, and Tri Color
Available Colors	Amber Blue Green Amber/Blue Amber/Green Amber/Red Amber/White Blue/White Green/White Purple/White Red/Blue Red/White Red/White/Blue Red/Blue/Amber Purple Red White Amber/Blue Amber/Green Amber/Red Amber/White Blue/White Green/White Purple/White Red/Blue Red/White Red/White/Blue Red/Blue/Amber





LIGHTBARS

GET SEEN FROM FAR AWAY

OWLEYE 10" SERIES

- 

SAE Class 1
- 

10 Flash Patterns
- 

7th Generation LED
- 

Easy to Install
- 

360 Degree Coverage
- 

2 yr Warranty
- 

Universal Design
- 

Pattern Memory Recall
- 

Heat Sink

PERMANENT MOUNT



MAGNETIC MOUNT



- 


Standard Industry Size
- 

IP67-Rated Waterproof
- 

Dustproof & Shockproof
- 

Energy Efficient LEDs

SPECIFICATIONS	PERMANENT MOUNT	MAGNETIC MOUNT
SKU	OE 10-XX-PM	OE 10-XX-MM
Product Dimensions	10.8" x 6.6" x 1.72"	10.8" x 6.6" x 1.72"
Bulb Type	LED	LED
Amperage	4 A	4 A
Voltage	10-30 VDC	10-30 VDC
Wattage	120 Watts	120 Watts
Waterproof	IP67 Rated	IP67 Rated
Light Spread	TIR Spread	TIR Spread
Color Type	Single/Split Color	Single/Split Color
Available Colors	Red Amber/Amber Amber/White	Red Amber/Amber Amber/White




RUGEYE 20X SERIES

MINI LED LIGHTBAR



PRODUCT FEATURES



SPECIFICATION

SKU	RugEye 20X-XX		
Product Dimensions	20" x 11.47" x 3"		
Bulb Type	LED		
Amperage	3 A		
Voltage	10-30 VDC		
Wattage	126 Watt		
LED Count	42 LED		
Waterproof	IP66 Rated		
Light Spread	TIR Spread		
Color Type	Single/Split Color		
Available Colors	Amber Blue Green Amber/Blue Amber/Green Amber/Red Amber/White Blue/White Green/White Purple/White Red/Blue Red/White Purple Red White		



RugEye 20X-AA



RugEye 20X-BB



RugEye 20X-GG



RugEye 20X-PP



RugEye 20X-RR



RugEye 20X-WW



RugEye 20X-AB



RugEye 20X-AG



RugEye 20X-AR



RugEye 20X-AW



RugEye 20X-BW



RugEye 20X-GW



RugEye 20X-PW



RugEye 20X-RB



RugEye 20X-RW

RUGEYE 30X SERIES

MINI LED LIGHTBAR



PRODUCT FEATURES



SPECIFICATION

SKU	RugEye 30X-XX		
Product Dimensions	30" x 11.47" x 3"		
Bulb Type	LED		
Amperage	6 A		
Voltage	10-30 VDC		
Wattage	162 Watt		
LED Count	54 LED		
Waterproof	IP66 Rated		
Light Spread	TIR Spread		
Color Type	Single/Split Color		
Available Colors	Amber Blue Green Amber/Blue Amber/Green Amber/Red Amber/White Blue/White Green/White Purple/White Red/Blue Red/White Purple Red White		



RugEye 30X-AA



RugEye 30X-BB



RugEye 30X-GG



RugEye 30X-PP



RugEye 30X-RR



RugEye 30X-WW



RugEye 30X-AB



RugEye 30X-AG



RugEye 30X-AR



RugEye 30X-AW



RugEye 30X-BW



RugEye 30X-GW



RugEye 30X-PW



RugEye 30X-RB



RugEye 30X-RW

RUGEYE 37X SERIES

FULL SIZE LED LIGHTBAR



PRODUCT FEATURES



SPECIFICATION

SKU	RugEye 37X-XX		
Product Dimensions	37" x 11.47" x 3"		
Bulb Type	LED		
Amperage	9 A		
Voltage	10-30 VDC		
Wattage	198 Watt		
LED Count	66 LED		
Waterproof	IP66 Rated		
Light Spread	TIR Spread		
Color Type	Single/Split Color		
Available Colors	Amber Blue Green Amber/Blue Amber/Green Amber/Red Amber/White Blue/White Green/White Purple/White Red/Blue Red/White Purple Red White		



RUGEYE 47X SERIES

FULL SIZE LIGHTBAR



PRODUCT FEATURES



SPECIFICATION

SKU	RugEye 47X-XX		
Product Dimensions	47" x 11.47" x 3"		
Weight	29 pounds		
Bulb Type	LED		
Amperage	12 A		
Voltage	10-30 VDC		
Wattage	234 Watt		
LED Count	78 LED		
Waterproof	IP66 Rated		
Light Spread	TIR Spread		
Color Type	Single/Split Color		
Available Colors	Amber Blue Green Amber/Blue Amber/Green Amber/Red Amber/White Blue/White Green/White Purple/White Red/Blue Red/White Purple Red White		



RUGEYE 55X SERIES

FULL SIZE LIGHTBAR



SPECIFICATION

SKU	RugEye 55X-XX
Product Dimensions	55" x 11.47" x 3"
Bulb Type	LED
Amperage	15 A
Voltage	10-30 VDC
Wattage	270 Watt
LED Count	90 LED
Waterproof	IP66 Rated
Light Spread	TIR Spread
Color Type	Single/Split Color
Available Colors	Amber Blue Green Amber/Blue Amber/Green Amber/Red Amber/White Blue/White Green/White Purple/White Red/Blue Red/White Purple Red White

PRODUCT FEATURES



RUGEYE 65X SERIES


FULL SIZE LIGHTBAR



SPECIFICATION

SKU	RugEye 65X-XX
Product Dimensions	65" x 11.47" x 3"
Bulb Type	LED
Amperage	18 A
Voltage	10-30 VDC
Wattage	306 Watt
LED Count	102 LED
Waterproof	IP66 Rated
Light Spread	TIR Spread
Color Type	Single/Split Color
Available Colors	Amber Blue Green Amber/Blue Amber/Green Amber/Red Amber/White Blue/White Green/White Purple/White Red/Blue Red/White Purple Red White

PRODUCT FEATURES





OFF ROAD LIGHTBARS

LIGHT UP YOUR PATH

ORS SERIES LIGHTBARS






2 X 5" 20 WATT

2 X 8" 40 WATT

2 X 11" 60 WATT



SPECIFICATIONS	20 WATT	40 WATT	60 WATT
SKU	ORS-20W	ORS-40W	ORS-60W
Dimensions/Size	4.72" x 2.36" x 3.54"	7.87" x 2.36" x 3.54"	11.2" x 2.36" x 3.54"
Weight	2 pounds	3 pounds	4 pounds
Bulb Type	10W LED	10W LED	10W LED
LED Count	2 LED	4 LED	6 LED
Lumens	1,600 LM	3,200 LM	4,800 LM
Wattage	20W	40W	60W
Voltage	9-60 VDC	9-60 VDC	9-60 VDC
Waterproof	IP67 Rated	IP67 Rated	IP67 Rated
Beam Pattern	Spot Spread	Spot Spread	Flood/Spot Combo
Source Material	6063 Aluminum Profile	6063 Aluminum Profile	6063 Aluminum Profile
Package Contains	2 x 20W LED Lights, 2 Types of Mount Brackets, Relay Kit	2 x 40W LED Lights, 2 Types of Mount Brackets, Relay Kit	2 x 60W LED Lights, 2 Types of Mount Brackets, Relay Kit



ORS SERIES LIGHTBARS



2 X 14" 80 WATT

17" 100 WATT



SPECIFICATIONS	80 WATT	100 WATT
SKU	ORS-80W	ORS-100W
Dimensions/Size	14" x 3.54" x 2.36"	17" x 3.54" x 2.36"
Weight	5 pounds	6 pounds
Bulb Type	10W LED	10W LED
LED Count	8 LED	10 LED
Lumens	6,400 LM	8,000 LM
Wattage	80W	100W
Voltage	9-60 VDC	9-60 VDC
Waterproof	IP67 Rated	IP67 Rated
Beam Pattern	Flood/Spot Combo	Flood/Spot Combo
Source Material	6063 Aluminum Profile	6063 Aluminum Profile
Package Contains	80W LED Lights, 2 Types of Mount Brackets, Relay Kit	100W LED Lights, 2 Types of Mount Brackets, Relay Kit



ORS SERIES LIGHTBARS




20 INCH 120 WATT

30 INCH 180 WATT



SPECIFICATIONS	120 WATT	180 WATT
SKU	ORS-120W	ORS-180W
Dimensions/Size	20.27" x 2.36" x 3.54"	29.92" x 3.54" x 2.36"
Weight	8 pounds	10 pounds
Bulb Type	10W LED	10 W LED
LED Count	12 LED	18 LED
Lumens	9,600 LM	14,400 LM
Wattage	120 Watt	180 Watt
Voltage	9-60 VDC	9-60 VDC
Waterproof	IP67 Rated	IP67 Rated
Beam Pattern	Flood/Spot Combo	Flood/Spot Combo
Source Material	6063 Aluminum Profile	6063 Aluminum Profile
Package Contains	120W LED Lights, 2 Types of Mount Brackets, Relay Kit	180W LED Lights, 2 Types of Mount Brackets, Relay Kit



ORS SERIES LIGHTBARS




39 INCH 240 WATT

50 INCH 300 WATT



SPECIFICATIONS	240 WATT	300 WATT
SKU	ORS-240W	ORS-300W
Dimensions/Size	39.17" x 2.36" x 3.54"	50" x 3.54" x 2.36"
Weight	12 pounds	15 pounds
Bulb Type	10W LED	10W LED
LED Count	24 LED	30 LED
Lumens	19,200 LM	24,000 LM
Wattage	240 Watt	300 Watt
Voltage	9-60 VDC	9-60 VDC
Waterproof	IP67 Rated	IP67 Rated
Beam Pattern	Flood/Spot Combo Beam	Flood/Spot Combo Beam
Source Material	6063 Aluminum Profile	6063 Aluminum Profile
Package Contains	240W LED Lights, 2 Types of Mount Brackets, Relay Kit	300W LED Lights, 2 Types of Mount Brackets, Relay Kit



NBS SERIES CURVED LIGHTBAR



22" NB 120W



32" NB 180W



SPECIFICATIONS	120 WATT	180 WATT
SKU	NBS-120W	NBS-180W
Dimensions/Size	22" x 2.5" x 3.5"	32" x 2.5" x 3.5"
Weight	7 Pounds	10 Pounds
Bulb Type	3W LED	3W LED
LED Count	40 x 3W LED	60 x 3W LED
Lumens	9,600 LM	12800 LM
Wattage	9 - 60 VDC	9 - 60 VDC
Voltage	120 Watt	180 Watt
Waterproof	IP67 Waterproof	IP67 Waterproof
Beam Pattern	Flood/Spot Combo	Flood/Spot Combo
Source Material	6063 Aluminum Profile	6063 Aluminum Profile
Package Contains	120W Curved Light, 2 Types of Mount Brackets, Relay Kit	180W Curved Lights, 2 Types of Mount Brackets, Relay Kit



CURVED LIGHTBAR SERIES



42" NB 240W



50" NB 288W



52" NB 300W



SPECIFICATIONS	240 WATT	288 WATT	300 WATT
SKU	NBS-240W	NBS-288W	NBS-300W
Dimensions/Size	42" x 2.5" x 3.5"	50" x 2.5" x 3.5"	52" x 2.5" x 3.5"
Weight	13 Pounds	15 Pounds	16 Pounds
Bulb Type	3W LED	3W LED	3W LED
LED Count	80 LED	96 LED	100 x 3W LED
Lumens	19,200 LM	23,040 LM	24,000 LM
Wattage	240 Watt	288 Watt	300 Watt
Voltage	9-60 VDC	9-60 VDC	9-60 VDC
Waterproof	IP67 Rated	IP67 Rated	IP67 Rated
Beam Pattern	Flood/Spot Combo	Flood/Spot Combo	Flood/Spot Combo
Source Material	6063 Aluminum Profile	6063 Aluminum Profile	6063 Aluminum Profile
Package Contains	240W Curved Light, 2 Types of Mount Brackets, Relay Kit	280W Curved Light, 2 Types of Mount Brackets, Relay Kit	300W Curved Light, 2 Types of Mount Brackets, Relay Kit





WORK LIGHTS

EXTEND YOUR DAY LIGHT

3" HDS SERIES - 18W LED



Ultra Bright



Energy Efficient

Powered by
12 Volt

Fog Light

Ideal for
Outdoor Use

Easy to Mount

Universal
DesignDT Connector
Included

2 yr Warranty

18 WATT LED FLOOD LIGHT



18 WATT LED SPOT LIGHT

SAE Class 1
CertifiedStandard
Industry SizeIP68-Rated
WaterproofDustproof &
ShockproofEnergy
Efficient LEDs

COLOR	FLOOD	SPOT
SKU	HDS-18F	HDS-18S
Product Dimensions	3" x 3.54" x 1.65"	3" x 3.54" x 1.65"
Item Weight	1 pounds	1 pounds
Bulb Type	LED	LED
Raw Lumen	1440 Lumens	1440 Lumens
Voltage	10-30 VDC	10-30 VDC
Wattage	18 Watts	18 Watts
LED Lifetime	50000 Hours	50000 Hours
Beam Angle	60 Degree	30 Degree
Beam Pattern	Flood	Spot
Operating Temperature	-40~+85 °C (-40~+185 °F)	-40~+85 °C (-40~+185 °F)
IP Rating	Waterproof IP68	Waterproof IP68
LED Count	6 x 3W Cree LEDs	6 x 3W Cree LEDs

4" HDS SERIES - 27W LED



Ultra Bright



Energy Efficient

Powered by
12 Volt

Fog Light

Ideal for
Outdoor Use

Easy to Mount

Universal
DesignDT Connector
Included

2 yr Warranty

27 WATT LED FLOOD LIGHT



27 WATT LED SPOT LIGHT

SAE Class 1
CertifiedStandard
Industry SizeIP68-Rated
WaterproofDustproof &
ShockproofEnergy
Efficient LEDs

COLOR	FLOOD	SPOT
SKU	HDS-27F	HDS-27S
Product Dimensions	4.25" x 4.6" x 2.8"	4.25" x 4.6" x 2.8"
Item Weight	2.15 pounds	2.15 pounds
Bulb Type	LED	LED
Raw Lumen	2160 Lumens	2160 Lumens
Voltage	10-30 VDC	10-30 VDC
Wattage	27 Watts	27 Watts
LED Lifetime	50000 Hours	50000 Hours
Beam Angle	60 Degree	30 Degree
Beam Pattern	Flood	Spot
Operating Temperature	-40~+85 °C (-40~+185 °F)	-40~+85 °C (-40~+185 °F)
IP Rating	Waterproof IP68	Waterproof IP68
LED Count	9 x 3W Cree LEDs	9 x 3W Cree LEDs

5" HDS SERIES - 48W LED



48 WATT LED FLOOD LIGHT



48 WATT LED SPOT LIGHT



COLOR	FLOOD	SPOT
SKU	HDS-48F	HDS-48S
Product Dimensions	4.92" x 4.64" x 4.05"	4.92" x 4.64" x 4.05"
Item Weight	4 pounds	4 pounds
Bulb Type	LED	LED
Raw Lumen	3840 Lumens	3840 Lumens
Voltage	10-30 VDC	10-30 VDC
Wattage	48 Watts	48 Watts
LED Lifetime	50000 Hours	50000 Hours
Beam Angle	60 Degree	30 Degree
Beam Pattern	Flood	Spot
Operating Temperature	-40~+85 °C (-40~+185 °F)	-40~+85 °C (-40~+185 °F)
IP Rating	Waterproof IP68	Waterproof IP68
LED Count	16 x 3W Cree LEDs	16 x 3W Cree LEDs

5" HDS SERIES - 60W LED



60 WATT LED FLOOD LIGHT



60 WATT LED SPOT LIGHT



COLOR	FLOOD	SPOT
SKU	HDS-60F	HDS-60S
Product Dimensions	4.92" x 4.64" x 4.05"	4.92" x 4.64" x 4.05"
Item Weight	5 pounds	5 pounds
Bulb Type	LED	LED
Raw Lumen	4800 Lumens	4800 Lumens
Voltage	10-30 VDC	10-30 VDC
Wattage	60 Watts	60 Watts
LED Lifetime	50000 Hours	50000 Hours
Beam Angle	60 Degree	30 Degree
Beam Pattern	Flood	Spot
Operating Temperature	-40~+85 °C (-40~+185 °F)	-40~+85 °C (-40~+185 °F)
IP Rating	Waterproof IP68	Waterproof IP68
LED Count	12 x 5W Cree LEDs	12 x 5W Cree LEDs

6" HDS SERIES - 100W LED

- BRIGHT**
Ultra Bright
- EFFICIENT**
Energy Efficient
- VOLT 12**
Powered by 12 Volt
- FOG LIGHT**
Fog Light
- IDEAL**
Ideal for Outdoor Use
- EASY**
Easy to Mount
- DESIGN**
Universal Design
- CONNECTOR**
DT Connector Included
- WARRANTY**
2 yr Warranty

100 WATT LED FLOOD LIGHT



100 WATT LED SPOT LIGHT



- SAE CLASS 1**
SAE Class 1 Certified
- Standard Industry Size**
- IP68-Rated Waterproof**
- Dustproof & Shockproof**
- Energy Efficient LEDs**

COLOR	FLOOD	SPOT
SKU	HDS-100F	HDS-100S
Product Dimensions	6" x 5.55" x 4.5"	6" x 5.55" x 4.5"
Item Weight	6 pounds	6 pounds
Bulb Type	LED	LED
Raw Lumen	8000 Lumens	8000 Lumens
Voltage	10-30 VDC	10-30 VDC
Wattage	100 Watts	100 Watts
LED Lifetime	50000 Hours	50000 Hours
Beam Angle	60 Degree	30 Degree
Beam Pattern	Flood	Spot
Operating Temperature	-40~+85 °C (-40~+185 °F)	-40~+85 °C (-40~+185 °F)
IP Rating	Waterproof IP68	Waterproof IP68
LED Count	20 x 5W Cree LEDs	20 x 5W Cree LEDs



SEARCH LIGHTS

USERS CONVENIENT
REMOTE CONTROL SPOTLIGHT

HIGHLIGHT 50W SEARCH LIGHTS SERIES

50W SEARCH LIGHT



PRODUCT FEATURES



HL 50-MM-B



HL 50-MM-W



HL 50-PM-B



HL 50-PM-W



SPECIFICATION


SKU	HL-50-XX-X
Dimensions	7 x 7.5 x 6.5 inches
Item Weight	4 Pounds
Bulb Type	LED
Amperage	5 A
Voltage	12 Volts
Wattage	50 Watt
Waterproof	IP66 Rated
Color Type	Single Color
Beam Pattern	Spot Spread
Lens Material	Toughed Glass

HIGHLIGHT 60W SEARCH LIGHTS SERIES

60W SEARCH LIGHT



PRODUCT FEATURES



MAGNETIC MOUNT

HL 60-MM-B



HL 60-MM-W



PERMANENT MOUNT

HL 60-PM-B



HL 60-PM-W



SPECIFICATION

SKU	HL-60-XX-X
Dimensions	7 x 7.5 x 6.5 inches
Item Weight	5 Pounds
Bulb Type	LED
Amperage	5 A
Voltage	12 Volts
Wattage	60 Watt
Waterproof	IP66 Rated
Color Type	Single Color
Beam Pattern	Spot Spread
Lens Material	Toughed Glass



SNOW PLOW LIGHTS

WORK AS HEADLIGHT REPLACEMENTS

X SERIES SNOW PLOW LIGHTS



SNOWLIGHT SERIES X LEFT




SNOWLIGHT SERIES X RIGHT



SPECIFICATIONS

SNOWLIGHT X SERIES

SKU	SNL-SX-HL
Product Dimensions	13.3" x 4.2" x 3.3"
Item Weight	10 Pounds
Bulb Type	LED
Voltage	10-30 VDC
Wattage	40 Watt
Waterproof	IP68 Rated
Color Type	Single Color
Features	Heated Lens
Includes	DTM Connector, Bracket
Lumens	4000 LM
Beam Pattern	High & Low Beams



Z SERIES SNOW PLOW LIGHTS



SNOWLIGHT SERIES Z LEFT




SNOWLIGHT SERIES Z RIGHT



SPECIFICATIONS

SNOWLIGHT Z SERIES

SKU	SNL-SZ-DTS
Product Dimensions	9.26" x 6.33" x 3.590"
Item Weight	10 Pounds
Bulb Type	LED
Voltage	10-30 VDC
Wattage	40 W
Waterproof	IP68 Rated
Color Type	Bi Color
Features	Heated Lens
Includes	DTM Connector, Bracket
Lumens	4000 LM
Beam Pattern	High & Low Beams





FORK LIFT SAFETY LIGHTS

MAKE YOUR BUSY WAREHOUSE SAFER



ARROW SHAPE FORKLIFT SAFETY LIGHTS



BRIGHT

Super Bright LED



SHAPE

Arrow Shaped Beam



SHOCKPROOF

Shockproof Bracket



EASY

Easy to Install



WARRANTY

1 yr Warranty



PNEUMATIC

Perfect for Pneumatic



BLUE



GREEN



RED



Standard Industry Size



IP68-Rated Waterproof





Dustproof & Shockproof



Energy Efficient LEDs


SPECIFICATIONS	BLUE	GREEN	RED
SKU	FSL-BA	FSL-GA	FSL-RA
Product Dimensions	4.2 x 3.7 x 3.4 inches	4.2 x 3.7 x 3.4 inches	4.3 x 3.5 x 3.4 inches
Item Weight	1 Pound	1 Pound	1 Pound
Bulb Type	LED	LED	LED
Amperage	0.75 A	0.75 A	0.75 A
Voltage	10-94 VDC	10-94 VDC	10-94 VDC
Wattage	9W	9W	9W
LED Count	3 LED	3 LED	3 LED
Waterproof	IP68 Rated	IP68 Rated	IP68 Rated
Color Type	Single Color	Single Color	Single Color
Available Colors	Blue	Green	Red
Beam Pattern	Arrow Shaped	Arrow Shaped	Arrow Shaped




LINE SHAPE FORKLIFT SAFETY LIGHT




SPECIFICATIONS	BLUE	RED
SKU	FSL-BL	FSL-RL
Product Dimensions	2.98" x 3.22" x 2.88"	2.98" x 3.22" x 2.88"
Item Weight	1 Pound	1 Pound
Bulb Type	LED	LED
Amperage	0.75A	0.75A
Voltage	10-94 VDC	10-94 VDC
Wattage	9W	9W
LED Count	3 LED	3 LED
Waterproof	IP68 Rated	IP68 Rated
Color Type	Single Color	Single Color
Available Colors	Blue	Red
Beam Pattern	Line Shaped	Line Shaped



SQUARE SHAPE FORKLIFT SAFETY LIGHT



SPECIFICATIONS	BLUE	RED
SKU	FSL-BS	FSL-RS
Product Dimensions	2.99" x 3.85" x 2.90"	2.99" x 3.85" x 2.90"
Item Weight	1 Pound	1 Pound
Bulb Type	LED	LED
Amperage	1A	1A
Voltage	10-94 VDC	10-94 VDC
Wattage	12W	12W
LED Count	4 LED	4 LED
Waterproof	IP68 Rated	IP68 Rated
Color Type	Single Color	Single Color
Available Colors	Blue	Red
Beam Pattern	Square Shaped	Square Shaped





INTERIOR DOME LIGHTS

COMPLEMENT ANY INDOOR AREA

INTERIOR LED DOME LIGHT SERIES



Ultra Bright



Energy Efficient



Easy to Mount



Universal Design



2 yr Warranty

5.11" ROUND 25.5W



5.3" RECTANGULAR 13.5W



Standard Industry Size



IP67-Rated Waterproof



Dustproof & Shockproof





Energy Efficient LEDs

SPECIFICATIONS

5.11" ROUND

5.3" RECTANGULAR

SKU	TLC-9300	TLR-9400
Product Dimensions	5.11" x 5.11" x 0.72"	5.37" x 2.58" x 0.74"
Item Weight	11.6 ounces	7.2 ounces
Bulb Type	LED	LED
Amerpage	2.08 A	1.125 A
Voltage	10-30 VDC	10-30 VDC
Wattage	25.2 Watt	13.5 Watt
LED Count	51 LED	27 LED
Waterproof	IP67 Rated	IP67 Rated



INTERIOR LED DOME LIGHT SERIES



Ultra Bright



Energy Efficient



Easy to Mount



Universal Design



2 yr Warranty

7.8" RECTANGULAR 45 DEGREE



11.8" RECTANGULAR 12W



Standard Industry Size



IP67-Rated Waterproof



Dustproof & Shockproof




Energy Efficient LEDs

SPECIFICATIONS

7.8" RECTANGULAR

11.8" - 12W

SKU	TLA-9600	TLA-9650
Product Dimensions	7.87" x 2.36" x 1.33"	11.81" x 2.36" x 1.33"
Item Weight	8.8 ounces	14.2 ounces
Bulb Type	LED	LED
Amerage	0.9 A	0.4 A
Voltage	10-30 VDC	10-30 VDC
Wattage	12 Watt	12 Watt
LED Count	60 LED	32 LED
Waterproof	IP67 Rated	IP67 Rated



INTERIOR LED DOME LIGHT SERIES

**BRIGHT**

Ultra Bright

**EFFICIENT**

Energy Efficient

**EASY**

Easy to Mount

**DESIGN**

Universal Design

**WARRANTY**

2 yr Warranty

11.8" RECTANGULAR 11.6W



7.3" RECTANGULAR 21W



Standard Industry Size



IP67-Rated Waterproof




Dustproof & Shockproof



Energy Efficient LEDs

SPECIFICATIONS	11.8" - 11.6W	7.3" RECTANGULAR
SKU	TLB-9700	TLR-9500
Product Dimensions	12.4 x 2.64 x 0.98 inches	7.33" x 2.58" x 0.74"
Item Weight	8.7 ounces	10.1 ounces
Bulb Type	LED	LED
Amperage	0.8 A	1.75 A
Voltage	10-30 VDC	10-30 VDC
Wattage	11.6 Watt	21 Watt
LED Count	58 LED	42 LED
Waterproof	IP67 Rated	IP67 Rated



24 LED - ROUND PARKING LIGHT

ROUND DOUBLE FRONT
AMBER



ROUND DOUBLE BACK
RED



SAE Class 1
Certified



Standard
Industry Size



IP68-Rated
Waterproof



Dustproof &
Shockproof



Energy
Efficient LEDs




5 yr
Warranty

SPECIFICATIONS

ROUND DOUBLE

SKU	PTPL-RDF-24-RA
Dimension	4.75" W x 2.37" D
Bulb Type	LED
Amperage	0.65 A
Voltage	8-16 VDC
Waterproof	IP68 Rated
Colors Type	Dual Color
Available Colors	



24 LED - SQUARE PARKING LIGHT

SQUARE DOUBLE FRONT
AMBER



SQUARE DOUBLE BACK
RED



SAE Class 1
Certified



Standard
Industry Size



IP68-Rated
Waterproof



Dustproof &
Shockproof



Energy
Efficient LEDs




5 yr
Warranty

SPECIFICATIONS

SQUARE DOUBLE

SKU	PTPL-SDF-24-RA
Dimension	4.25" x 4.25" x 1.75"
Bulb Type	LED
Amperage	0.65 A
Voltage	8-16 VDC
Waterproof	IP68 Rated
Colors Type	Dual Color
Available Colors	






BUS TAIL LIGHTS

KEEPING OUR CHILDREN SAFE
ON THE ROADS





7" - 47 LED ROUND BUS TAIL LIGHT



- SAE Certified
- Standard Industry Size
- IP68-Rated Waterproof
- Dustproof & Shockproof
- Energy Efficient LEDs
- Built-in Reflex
- 5 yr Warranty

SPECIFICATIONS	AMBER	RED	WHITE
SKU	BTL-R47-A	BTL-R47-R	BTL-R47-W
Dimension/Size	7" x 6.25" x 1.07"	7" x 6.25" x 1.07"	7" x 6.25" x 1.07"
Item Weight	1 pounds	1 pounds	1 pounds
Bulb Type	LED	LED	LED
Amperage	0.50 A	0.50 A	0.50 A
Voltage	8-16 VDC	8-16 VDC	8-16 VDC
LED Count	47 LED	47 LED	47 LED
Waterproof	IP68 Rated	IP68 Rated	IP68 Rated
Package Contains	1 x 7" Round 47 LED 1 x 7" Round Gasket	1 x 7" Round 47 LED 1 x 7" Round Gasket	1 x 7" Round 47 LED 1 x 7" Round Gasket





TRAILER TAIL LIGHTS

SAFETY ISN'T EXPENSIVE, IT'S PRICELESS



4" - 10 LED ROUND TAIL LIGHT

TURN SIGNAL/HAZARD
AMBER COLOR

STOP/BRAKE/TURN
RED COLOR

REVERSE AND BACKUP
WHITE COLOR



SAE Class 1
Certified



Standard
Industry Size



IP67-Rated
Waterproof



Dustproof &
Shockproof





Energy
Efficient LEDs



5 yr
Warranty

SPECIFICATION	AMBER	RED	WHITE
SKU	TTL-R10-A	TTL-R10-R	TTL-R10-W
Product Dimensions	5.5" x 4.125" x 1"	5.5" x 4.125" x 1"	5.5" x 4.125" x 1"
Item Weight	1 Pound	1 Pound	1 Pound
Bulb Type	LED	LED	LED
Amperage	0.25 A	0.25 A	0.25 A
Voltage	8-16 VDC	8-16 VDC	8-16 VDC
DOT	FMVSS-108 Compliant	FMVSS-108 Compliant	FMVSS-108 Compliant
LED Count	10 LED	10 LED	10 LED
Waterproof	IP67 Rated	IP67 Rated	IP67 Rated
Includes	Grommet & Connector	Grommet & Connector	Grommet & Connector
Source Material	Acrylic Lens ABS Housing	Acrylic Lens ABS Housing	Acrylic Lens ABS Housing



4" - 24 LED ROUND TAIL LIGHT

TURN SIGNAL/HAZARD
AMBER COLOR

STOP/BRAKE/TURN
RED COLOR

REVERSE AND BACKUP
WHITE COLOR



SAE Class 1
Certified



Standard
Industry Size



IP67-Rated
Waterproof



Dustproof &
Shockproof





Energy
Efficient LEDs



5 yr
Warranty

SPECIFICATIONS	AMBER	RED	WHITE
SKU	TTL-R24-A	TTL-R24-R	TTL-R24-W
Product Dimensions	5.5" x 4.125" x 1"	5.5" x 4.125" x 1"	5.5" x 4.125" x 1"
Item Weight	1 Pound	1 Pound	1 Pound
Bulb Type	LED	LED	LED
Amperage	0.25 A	0.25 A	0.25 A
Voltage	8-16 VDC	8-16 VDC	8-16 VDC
DOT	FMVSS-108 Compliant	FMVSS-108 Compliant	FMVSS-108 Compliant
LED Count	24 LED	24 LED	24 LED
Waterproof	IP67 Rated	IP67 Rated	IP67 Rated
Includes	Grommet & Connector	Grommet & Connector	Grommet & Connector
Source Material	Acrylic Lens ABS Housing	Acrylic Lens ABS Housing	Acrylic Lens ABS Housing



6" - 10 LED OVAL TAIL LIGHT

TURN SIGNAL/HAZARD
AMBER COLOR

STOP/BRAKE/TURN
RED COLOR

REVERSE AND BACKUP
WHITE COLOR



SAE Class 1
Certified



Standard
Industry Size



IP67-Rated
Waterproof



Dustproof &
Shockproof





Energy
Efficient LEDs



5 yr
Warranty

SPECIFICATIONS	AMBER	RED	WHITE
SKU	TTL-O10-A	TTL-O10-R	TTL-O10-W
Product Dimensions	7.625" x 3.375" x 1"	7.625" x 3.375" x 1"	7.625" x 3.375" x 1"
Item Weight	1 Pound	1 Pound	1 Pound
Bulb Type	LED	LED	LED
Amperage	0.25 A	0.25 A	0.25 A
Voltage	8-16 VDC	8-16 VDC	8-16 VDC
DOT	FMVSS-108 Compliant	FMVSS-108 Compliant	FMVSS-108 Compliant
LED Count	10 LED	10 LED	10 LED
Waterproof	IP67 Rated	IP67 Rated	IP67 Rated
Includes	Grommet & Connector	Grommet & Connector	Grommet & Connector
Source Material	Acrylic Lens ABS Housing	Acrylic Lens ABS Housing	Acrylic Lens ABS Housing



6" - 24 LED OVAL TAIL LIGHT

TURN SIGNAL/HAZARD
AMBER COLOR

STOP/BRAKE/TURN
RED COLOR

REVERSE AND BACKUP
WHITE COLOR



SAE Class 1
Certified



Standard
Industry Size



IP67-Rated
Waterproof



Dustproof &
Shockproof





Energy
Efficient LEDs



5 yr
Warranty

SPECIFICATIONS	AMBER	RED	WHITE
SKU	TTL-O24-A	TTL-O24-R	TTL-O24-W
Product Dimensions	7.625" x 3.375" x 1"	7.625" x 3.375" x 1"	7.625" x 3.375" x 1"
Item Weight	1 Pound	1 Pound	1 Pound
Bulb Type	LED	LED	LED
Amperage	0.25 A	0.25 A	0.25 A
Voltage	8-16 VDC	8-16 VDC	8-16 VDC
DOT	FMVSS-108 Compliant	FMVSS-108 Compliant	FMVSS-108 Compliant
LED Count	24 LED	24 LED	24 LED
Waterproof	IP67 Rated	IP67 Rated	IP67 Rated
Includes	Grommet & Connector	Grommet & Connector	Grommet & Connector
Source Material	Acrylic Lens ABS Housing	Acrylic Lens ABS Housing	Acrylic Lens ABS Housing



6" OVAL - 6 LEDS TRAILER TURN LIGHT



AMBER

RED

WHITE

SAE Class 1
CertifiedStandard
Industry SizeIP67-Rated
WaterproofDustproof &
ShockproofEnergy
Efficient LEDs5 yr
Warranty

SPECIFICATIONS	AMBER	RED	WHITE
SKU	TTL-O6-A	TTL-O6-R	TTL-O6-W
Product Dimensions	6.375" x 2.25" x 1.375"	6.375" x 2.25" x 1.375"	6.375" x 2.25" x 1.375"
Item Weight	1 Pound	1 Pound	1 Pound
Bulb Type	LED	LED	LED
Amperage	0.25 A	0.25 A	0.25 A
Voltage	8-16 VDC	8-16 VDC	8-16 VDC
DOT	FMVSS-108 Compliant	FMVSS-108 Compliant	FMVSS-108 Compliant
LED Count	6 LED	6 LED	6 LED
Waterproof	IP67 Rated	IP67 Rated	IP67 Rated
Includes	Grommet & Connector	Grommet & Connector	Grommet & Connector
Source Material	Acrylic Lens ABS Housing	Acrylic Lens ABS Housing	Acrylic Lens ABS Housing



4" ROUND - 6 LEDS TRAILER LIGHT



AMBER

RED

WHITE

SAE Class 1
CertifiedStandard
Industry SizeIP67-Rated
WaterproofDustproof &
ShockproofEnergy
Efficient LEDs5 yr
Warranty

SPECIFICATIONS	AMBER	RED	WHITE
SKU	TTL-R6-A	TTL-R6-R	TTL-R6-W
Product Dimensions	4.25" x 4.25" x 1.5"	4.25" x 4.25" x 1.5"	4.25" x 4.25" x 1.5"
Item Weight	1 Pound	1 Pound	1 Pound
Bulb Type	LED	LED	LED
Amperage	0.25 A	0.25 A	0.25 A
Voltage	8-16 VDC	8-16 VDC	8-16 VDC
DOT	FMVSS-108 Compliant	FMVSS-108 Compliant	FMVSS-108 Compliant
LED Count	6 LED	6 LED	6 LED
Waterproof	IP67 Rated	IP67 Rated	IP67 Rated
Includes	Grommet & Connector	Grommet & Connector	Grommet & Connector
Source Material	Acrylic Lens ABS Housing	Acrylic Lens ABS Housing	Acrylic Lens ABS Housing



6" OVAL - 35 LED SEQUENTIAL TURN LIGHT

AMBER





RED

SAE Class 1
CertifiedStandard
Industry SizeIP67-Rated
WaterproofDustproof &
ShockproofEnergy
Efficient LEDs5 yr
Warranty

SPECIFICATIONS

	AMBER	RED
SKU	STTL-O35-A	STTL-O35-A
Product Dimensions	6.5" x 2.25" x 1.87"	6.5" x 2.25" x 1.87"
Item Weight	1 pounds	1 pounds
Bulb Type	LED	LED
Amperage	0.95 A	0.95 A
Voltage	9-36 VDC	9-36 VDC
DOT	FMVSS-108 Compliant	FMVSS-108 Compliant
LED Count	35 LED	35 LED
Waterproof	IP67 Rated	IP67 Rated
Includes	Grommet & Connector	Grommet & Connector
Source Material	Acrylic Lens ABS Housing	Acrylic Lens ABS Housing



6" OVAL - 9 LED TURN LIGHT

MID TURN LIGHT



PRODUCT FEATURES

SAE & DOT
FMVSS-108

Super Bright LED





Easy to Install

SAE Class 1
CertifiedStandard
Industry SizeIP67-Rated
WaterproofDustproof &
ShockproofEnergy
Efficient LEDs

SPECIFICATION



SKU	MTTL-O9-A
Product Dimension	6.5" x 2.31" x 2.68"
Item Weight	1 Pound
Bulb Type	LED
Amperage	0.25 A
Voltage	8-16 VDC
DOT	FMVSS-108 Compliant
LED Count	9 LED
Waterproof	IP67 Rated
Available Color	Orange
Includes	Grommet & Connector
Source Material	Acrylic Lens ABS Housing



5"X3" - 10 LED RECTANGULAR TAIL LIGHT

TURN SIGNAL/HAZARD
AMBER COLORSTOP/BRAKE/TURN
RED COLORREVERSE AND BACKUP
WHITE COLORSAE Class 1
CertifiedStandard
Industry SizeIP67-Rated
WaterproofDustproof &
ShockproofEnergy
Efficient LEDs5 yr
Warranty



SPECIFICATIONS	AMBER	RED	WHITE
SKU	TTL-S10-A	TTL-S10-R	TTL-S10-W
Product Dimensions	5.375" x 3.5" x 1.5"	5.375" x 3.5" x 1.5"	5.375" x 3.5" x 1.5"
Item Weight	1 pounds	1 pounds	1 pounds
Bulb Type	LED	LED	LED
Amperage	0.25 A	0.25 A	0.25 A
Voltage	8-16 VDC	8-16 VDC	8-16 VDC
DOT	FMVSS-108 Compliant	FMVSS-108 Compliant	FMVSS-108 Compliant
LED Count	10 LED	10 LED	10 LED
Waterproof	IP67 Rated	IP67 Rated	IP67 Rated
Includes	Grommet & Connector	Grommet & Connector	Grommet & Connector
Source Material	Acrylic Lens ABS Housing	Acrylic Lens ABS Housing	Acrylic Lens ABS Housing




5"X3" 24 LED RECTANGULAR TAIL LIGHT

TURN SIGNAL/HAZARD
AMBER COLORSTOP/BRAKE/TURN
RED COLORREVERSE AND BACKUP
WHITE COLORSAE Class 1
CertifiedStandard
Industry SizeIP67-Rated
WaterproofDustproof &
ShockproofEnergy
Efficient LEDs5 yr
Warranty

SPECIFICATIONS	AMBER	RED	WHITE
SKU	TTL-S24-A	TTL-S24-R	TTL-S24-W
Product Dimensions	5.31" x 3.437" x 1.125"	5.31" x 3.437" x 1.125"	5.31" x 3.437" x 1.125"
Item Weight	1 Pound	1 Pound	1 Pound
Bulb Type	LED	LED	LED
Amperage	0.25 A	0.25 A	0.25 A
Voltage	8-16 VDC	8-16 VDC	8-16 VDC
DOT	FMVSS-108 Compliant	FMVSS-108 Compliant	FMVSS-108 Compliant
LED Count	24 LED	24 LED	24 LED
Waterproof	IP67 Rated	IP67 Rated	IP67 Rated
Includes	Grommet & Connector	Grommet & Connector	Grommet & Connector
Source Material	Acrylic Lens ABS Housing	Acrylic Lens ABS Housing	Acrylic Lens ABS Housing





COMBINATION TRAILER LIGHTS

SUPER BRIGHT ALL IN ONE
BRAKE, TAIL, TURN & REVERSE

FIESTA COMBO TRAILER LIGHT

4" ROUND - 12 LED



6" OVAL - 13 LED



SAE Class 1
Certified



Standard
Industry Size



IP68-Rated
Waterproof



Dustproof &
Shockproof







Energy
Efficient LEDs



5 yr
Warranty

SPECIFICATIONS	4" ROUND 12 LED	6" OVAL 13LED
SKU	Fiesta-R12	Fiesta-O13
Product Dimensions	4.375" L x 1.375" D	6.5" L x 2.31" H x 1.43" D
Item Weight	13.6 ounces	12.8 ounces
Bulb Type	LED	LED
Amperage	0.25 A	0.25 A
Voltage	8-16 VDC	8-16 VDC
DOT	FMVSS-108 Compliant	FMVSS-108 Compliant
Waterproof	IP68 Rated	IP68 Rated
Color Type	Dual Color	Dual Color
Includes	Grommet & Connector	Grommet & Connector
Source Material	Acylic Lens ABS Housing	Acylic Lens ABS Housing





TRAILER CLEARANCE LIGHT

ENHANCE YOUR VEHICLE'S VISIBILITY



3/4" BULLET CLEARANCE LIGHTS



RED

AMBER

AMBER/CLEAR LENS

SAE Class 1
CertifiedStandard
Industry SizeIP68-Rated
WaterproofDustproof &
ShockproofEnergy
Efficient LEDs5 yr
Warranty



SPECIFICATIONS	AMBER	RED	AMBER/CLEAR LENS
SKU	BCL-R1-A	BCL-R1-R	BCL-R1-AC
Product Dimensions	1" x 0.75" x 0.62"	1" x 0.75" x 0.62"	1" x 0.75" x 0.62"
Item Weight	3.2 ounces	3.2 ounces	3.2 ounces
Bulb Type	LED	LED	LED
Amperage	0.06 A	0.06 A	0.06 A
Voltage	8-16 VDC	8-16 VDC	8-16 VDC
DOT	FMVSS-108 Compliant	FMVSS-108 Compliant	FMVSS-108 Compliant
LED Count	1 LED	1 LED	1 LED
Waterproof	IP68 Rated	IP68 Rated	IP68 Rated
Includes	LED Light	LED Light	LED Light
Source Material	Acrylic Lens ABS Housing	Acrylic Lens ABS Housing	Acrylic Lens ABS Housing



2" SIDE MARKER CLEARANCE LIGHT

2 INCH SIDE MARKER LIGHT
AMBER2 INCH SIDE MARKER LIGHT
REDSAE Class 1
CertifiedStandard
Industry SizeIP67-Rated
WaterproofDustproof &
ShockproofEnergy
Efficient LEDs5 yr
Warranty

COLOR	AMBER	RED
SKU	TML-R210-A	TML-R210-R
Product Dimensions	2.875" x 2" x 0.812"	2.875" x 2" x 0.812"
Item Weight	3.2 ounce	3.2 ounces
Bulb Type	LED	LED
Amperage	0.06 A	0.06 A
Voltage	8-16 VDC	8-16 VDC
DOT	FMVSS-108 Compliant	FMVSS-108 Compliant
LED Count	10 LED	10 LED
Waterproof	IP67 Rated	IP67 Rated
Includes	Grommet & Connector	Grommet & Connector
Source Material	Acrylic Lens ABS Housing	Acrylic Lens ABS Housing



2.5" SIDE MARKER CLEARANCE LIGHT

2.5 INCH SIDE MARKER LIGHT
AMBER



2.5 INCH SIDE MARKER LIGHT
RED



SAE Class 1
Certified



Standard
Industry Size



IP67-Rated
Waterproof



Dustproof &
Shockproof





Energy
Efficient LEDs



5 yr
Warranty

COLOR	AMBER	RED
SKU	TML-R213-A	TML-R213-R
Product Dimensions	3.31" x 2.5" x 1.125"	3.31" x 2.5" x 1.125"
Item Weight	8.8 ounces	8.8 ounces
Bulb Type	LED	LED
Amperage	0.08 A	0.08 A
Voltage	8-16 VDC	8-16 VDC
DOT	FMVSS-108 Compliant	FMVSS-108 Compliant
LED Count	13 LED	13 LED
Waterproof	IP67 Rated	IP67 Rated
Includes	Grommet & Connector	Grommet & Connector
Source Material	Acrylic Lens ABS Housing	Acrylic Lens ABS Housing



4"X2" BULLSEYE CLEARANCE LIGHT

4 INCH SIDE MARKER LED
AMBER



4 INCH SIDE MARKER LED
RED



SAE Class 1
Certified



Standard
Industry Size



IP67-Rated
Waterproof



Dustproof &
Shockproof





Energy
Efficient LEDs



5 yr
Warranty


COLOR	AMBER	RED
SKU	TML-S416-A	TML-S416-R
Product Dimensions	4" x 2" x 1.125"	4" x 2" x 1.125"
Item Weight	5.6 ounces	5.6 ounces
Bulb Type	LED	LED
Amperage	0.08 A	0.08 A
Voltage	8-16 VDC	8-16 VDC
DOT	FMVSS-108 Compliant	FMVSS-108 Compliant
LED Count	16 LED	16 LED
Waterproof	IP67 Rated	IP67 Rated
Includes	Clearance LED Light	Clearance LED Light
Source Material	Acrylic Lens ABS Housing	Acrylic Lens ABS Housing





TRAILER ID BAR

SAFETY OF YOUR WIDER TRAILER



15" ID MARKER LIGHT BAR

CLEARANCE ID MARKER LIGHT
AMBER



CLEARANCE ID MARKER LIGHT
RED



SAE Class 1
Certified



Standard
Industry Size



IP67-Rated
Waterproof



Dustproof &
Shockproof





Energy
Efficient LEDs



5 yr Warranty

SPCIFICATION	AMBER	RED
SKU	TCL-B9-A	TCL-B9-R
Product Dimensions	14.07" x 1.05" x 1"	14.07" x 1.05" x 1"
Item Weight	10 ounces	10 ounces
Bulb Type	LED	LED
Amperage	0.5 A	0.5 A
Voltage	8-16 VDC	8-16 VDC
DOT	FMVSS-108 Compliant	FMVSS-108 Compliant
LED Count	9 LED	9 LED
Waterproof	IP67 Rated	IP67 Rated
Includes	Grommet & Connector	Grommet & Connector
Source Material	Acrylic Lens ABS Housing	Acrylic Lens ABS Housing





LICENSE PLATE LIGHTS



COMPLIES WITH LOCAL LAWS AND REGULATIONS



BRACKET MOUNT SERIES





SPECIFICATIONS	BLACK	CHROME	GRAY
SKU	TLPL-BRM-B	TLPL-BRM-C	TLPL-BRM-G
Product Dimensions	8.5" x 2.87" x 2.37"	8.5" x 2.87" x 2.37"	8.5" x 2.87" x 2.37"
Item Weight	7 ounces	7 ounces	7 ounces
Bulb Type	LED	LED	LED
Amperage	0.06 A	0.06 A	0.06 A
Voltage	8-16 VDC	8-16 VDC	8-16 VDC
Wattage	2 W	2 W	2 W
LED Count	2 LED	2 LED	2 LED
Waterproof	IP67 Rated	IP67 Rated	IP67 Rated
Material	Robust polycarbonate and rust-resistant steel	Robust polycarbonate and rust-resistant steel	Robust polycarbonate and rust-resistant steel



STUD MOUNT SERIES



SPECIFICATIONS	BLACK	CHROME	GRAY
SKU	TLPL-STM-B	TLPL-STM-C	TLPL-STM-G
Product Dimensions	2.12" x 2.81" x 1.62"	2.12" x 2.81" x 1.62"	2.12" x 2.81" x 1.62"
Item Weight	3 ounces	3 ounces	3 ounces
Bulb Type	LED	LED	LED
Amperage	0.06 A	0.06 A	0.06 A
Voltage	8-16 VDC	8-16 VDC	8-16 VDC
Wattage	2 W	2 W	2 W
LED Count	2 LED	2 LED	2 LED
Waterproof	IP67 Rated	IP67 Rated	IP67 Rated
Material	Robust polycarbonate and rust-resistant steel	Robust polycarbonate and rust-resistant steel	Robust polycarbonate and rust-resistant steel



SURFACE MOUNT SERIES

SAE CLASS 1

BRIGHT

EASY

WARRANTY

FMVSS CERTIFIED

SAE Class 1

Super Bright LED

Easy to Install

2 yr Warranty

FMVSS Certified




Standard Industry Size

IP67-Rated Waterproof

Dustproof & Shockproof

Energy Efficient LEDs

SPECIFICATIONS	BLACK	CHROME	GRAY
SKU	TLPL-SUM-B	TLPL-SUM-C	TLPL-SUM-G
Product Dimensions	4" x 2.25" x 1.75"	4" x 2.25" x 1.75"	4" x 2.25" x 1.75"
Item Weight	3 ounces	3 ounces	3 ounces
Bulb Type	LED	LED	LED
Amperage	0.06 A	0.06 A	0.06 A
Voltage	8-16 VDC	8-16 VDC	8-16 VDC
Wattage	2 W	2 W	2 W
LED Count	2 LED	2 LED	2 LED
Waterproof	IP67 Rated	IP67 Rated	IP67 Rated
Material	Robust polycarbonate and rust-resistant steel	Robust polycarbonate and rust-resistant steel	Robust polycarbonate and rust-resistant steel





REFLECTIVE TAPE

EASILY DISCOVERABLE BY OTHERS



SOLAS TAPE SERIES



Solas Grade



Honeycomb Design



High Stretchable



Easy to Apply & Removable



Long Lifespan



High Reflectivity



Strong Adhesive

30 FEET



50 FEET



75 FEET



150 FEET

NHTSA
CertifiedFMVSS
Certified

Dot Certified



Weatherproof



5 yr Warranty

SPECIFICATIONS	30 FOOT	50 FOOT	75 FOOT	150 FOOT
SKU	Solas 2 x 30	Solas 2 x 50	Solas 2 x 75	Solas 2 x 150
Length	30 Foot	50 Foot	75 Foot	150 Foot
Width	2"	2"	2"	2"
Weight	0.5 Pound	0.75 Pound	1.25 Pound	2.50 Pound
Tape Type	SOLAS	SOLAS	SOLAS	SOLAS
Rated lifespan	10 Years	10 Years	10 Years	10 Years
Color	Single	Single	Single	Single
Available Colors	White	White	White	White



30 FOOT DOT C2 TAPE SERIES

2" REFLECTIVE TAPE



PRODUCT FEATURES



DOT Grade



Honeycomb Design



High Stretchable



Easy to Apply & Removable



Long Lifespan



High Reflectivity



Strong Adhesive

NHTSA
CertifiedFMVSS
Certified

Dot Certified



Weatherproof



5 yr Warranty

SPECIFICATION

SKU	DOTC2 2 x 30-X
Length	30 Foot
Width	2"
Weight	0.5 Pounds
Tape Type	DOT C2
Rated lifespan	10 Years
Color	Single Color, Split Color
Available Colors	Blue Green Lime Green Red Red/White White Yellow



DOTC2 2 x 30-B



DOTC2 2 x 30-6R/6W



DOTC2 2 x 30-G



DOTC2 2 x 30-11R/7W



DOTC2 2 x 30-LG



DOTC2 2 x 30-W



DOTC2 2 x 30-R



DOTC2 2 x 30-Y

50 FOOT DOT C2 TAPE SERIES

2" REFLECTIVE TAPE



PRODUCT FEATURES



SPECIFICATION

SKU	DOTC2 2 x 50-X
Length	50 Foot
Width	2"
Weight	0.75 Pound
Tape Type	DOT C2
Rated lifespan	10 Years
Color	Single Color, Split Color
Available Colors	Blue Green Lime Green Red Red/White White Yellow



DOTC2 2 x 50-B



DOTC2 2 x 50-6R/6W



DOTC2 2 x 50-G



DOTC2 2 x 50-11R/7W



DOTC2 2 x 50-LG



DOTC2 2 x 50-W



DOTC2 2 x 50-R



DOTC2 2 x 50-Y

75 FOOT DOT C2 TAPE SERIES

2" REFLECTIVE TAPE



PRODUCT FEATURES



SPECIFICATION

SKU	DOTC2 2 x 75-X
Length	50 Foot
Width	2"
Weight	1.25 Pound
Tape Type	DOT C2
Rated lifespan	10 Years
Color	Single Color, Split Color
Available Colors	Blue Green Lime Green Red Red/White White Yellow



DOTC2 2 x 75-B



DOTC2 2 x 75-6R/6W



DOTC2 2 x 75-G



DOTC2 2 x 75-11R/7W



DOTC2 2 x 75-LG



DOTC2 2 x 75-W



DOTC2 2 x 75-R



DOTC2 2 x 75-Y

150 FOOT DOT C2 TAPE SERIES

2" REFLECTIVE TAPE

PRODUCT FEATURES



DOT Grade



Honeycomb Design



High Stretchable



Easy to Apply & Removable



Long Lifespan



High Reflectivity



Strong Adhesive



NHTSA Certified



FMVSS Certified



Dot Certified



Weatherproof



5 yr Warranty

SPECIFICATION

SKU	DOTC2/X-2x150	
Length	150 Foot	
Width	2"	
Weight	2.50 Pound	
Tape Type	DOT C2	
Rated lifespan	10 Years	
Color	Single Color, Split Color	
Available Colors	Blue Green Lime Green Red Red/White White Yellow	



DOTC2/B-2x150



DOTC2/RW-2x150



DOTC2/G-2x150



DOTC2 2x150-11R/7W



DOTC2/LG-2x150



DOTC2/W-2x150



DOTC2/R-2x150



DOTC2/R-2x150



SIREN SYSTEMS

MOST POWERFUL SIREN SYSTEMS
IN THE MARKET





SIREN SPEAKERS

DESIGNED TO WITHSTAND
THE TOUGHEST CONDITIONS




ECO 100W SERIES

ECO SIREN SPEAKER




PRODUCT FEATURES



SPECIFICATION

SKU	ECS-100
Product Dimensions	8.1" W x 5.2" H x 6.6" D
Item Weight	4 Pounds
Voltage	12 Volts
Wattage	100 Watts
Waterproof	IP67 Rated
Packaging Contains	Speaker, Owner's Manual



SLIM 100W SERIES

SLIM SIREN SPEAKER




PRODUCT FEATURES



SPECIFICATION

SKU	SLS-100
Product Dimensions	5.9" W x 5.5" H x 2" D
Item Weight	5.15 pounds
Voltage	12 Volts
Wattage	100 Watts
Waterproof	IP67 Rated
Packaging Contains	Speaker, Owner's Manual




ULTRA 100W SERIES

ULTRA SIREN SPEAKER




PRODUCT FEATURES



SPECIFICATION

SKU	LILS-100
Product Dimensions	5.9" W x 4.9" H x 2.1" D
Item Weight	5.3 pounds
Voltage	12 Volts
Wattage	100 Watts
Waterproof	IP67 Rated
Packaging Contains	Speaker, Owner's Manual



ROGUE 100W SERIES

ROGUE SIREN SPEAKER




PRODUCT FEATURES



SPECIFICATION

SKU	RGS-100
Product Dimensions	7.5" W x 7.2" H x 2.7" D
Item Weight	7 pounds
Voltage	12 Volts
Wattage	100 Watts
Waterproof	IP67 Rated
Packaging Contains	Speaker, Owner's Manual


U-Shape Bracket



U-Shape Bracket



L-Shape Bracket



L-Shape Bracket



SUPREME 200W SERIES

SUPREME-SIREN SPEAKER



PRODUCT FEATURES

SAE
CLASS
A

SAE Class A

NEO
DRIVER

NEO Driver

EFFICIENT

Cost Efficient

200 W

200 Watt
High Power

EASY

Easy Installation

OHM
11

OHM

dB
127

127 Decibel

FIT

Universal Fit

2
WARRANTY

2 yr Warranty

Rugged
Housing


Cost
Effective

Easy
Installation

Premium
Line

SPECIFICATION

SKU	SPS-200
Product Dimensions	5.5" W x 5.82" H x 7" D
Item Weight	7.2 pounds
Voltage	12 Volts
Wattage	200 Watts
Waterproof	IP67 Rated
Packaging Contains	Speaker, Owner's Manual





BACKUP ALARMS

BACK UP SAFETY WITH A
POWERFUL BACKUP ALARM



102 DB SERIES

102 DB BACK-UP ALARM



PRODUCT FEATURES



Rugged
Housing



Cost
Effective





Easy
Installation



Premium
Line

SPECIFICATION

SKU	BAU-102
Product Dimensions	4" W x 2.75" H x 2" D
Item Weight	1 pounds
Voltage	10-80 VDC
Amperage	250 Milliamps
dB	102 dB
Waterproof	IP67 Rated
Packaging Contains	Backup Alarm, Owner's Manual



112 DB SERIES

107-112 DB BACK-UP ALARM



PRODUCT FEATURES



Rugged
Housing



Cost
Effective





Easy
Installation



Premium
Line

SPECIFICATION

SKU	BAU-112
Product Dimensions	5" W x 3" H x 4" D
Item Weight	1.5 pounds
Voltage	10-80 VDC
Amperage	250 milliamps
dB	107/112 dB
Waterproof	IP67 Rated
Packaging Contains	Backup Alarm, Owner's Manual





SWITCH PANEL & CONTROLLERS

EASILY CONTROL DIFFERENT ACCESSORIES

TAURUS 1 WAY SWITCH PANEL

SWITCH WITH LED LIGHT



PRODUCT FEATURES



Heavy Duty




Easier Installation



Premium Quality

SPECIFICATION

SKU	ATSP-100
Product Dimensions	2" x 2.2" x 1.57"
Item Weight	2 Ounces
Bulb Type	LED
Amperage	15 A
Voltage	9-30 VDC
Waterproof	IP65 Rated




TAURUS 2 WAY SWITCH PANEL

SWITCH WITH LED LIGHT



PRODUCT FEATURES



Heavy Duty




Easier Installation



Premium Quality

SPECIFICATION

SKU	ATSP-200
Product Dimensions	2.95" x 2.2" x 1.57"
Item Weight	2.4 ounces
Bulb Type	LED
Amperage	15 A
Voltage	9-30 VDC
Waterproof	IP65 Rated




TAURUS 3 WAY SWITCH PANEL

SWITCH WITH LED LIGHT



PRODUCT FEATURES



Heavy Duty




Easier
Installation



Premium
Quality

SPECIFICATION

SKU	ATSP-300
Product Dimensions	3.87" x 2.2" x 1.57"
Item Weight	5.6 ounces
Bulb Type	LED
Amperage	15 A
Voltage	9-30 VDC
Waterproof	IP65 Rated




TAURUS 4 WAY SWITCH PANEL

SWITCH WITH LED LIGHT



PRODUCT FEATURES



Heavy Duty




Easier
Installation



Premium
Quality

SPECIFICATION

SKU	ATSP-400
Product Dimensions	4.82" x 2.2" x 1.57"
Item Weight	6.4 ounces
Bulb Type	LED
Amperage	30 A
Voltage	9-30 VDC
Waterproof	IP65 Rated



TAURUS 5 WAY SWITCH PANEL

SWITCH WITH LED LIGHT



PRODUCT FEATURES



Heavy Duty




Easier Installation



Premium Quality

SPECIFICATION

SKU	ATSP-500
Product Dimensions	5.74" x 2.2" x 1.57"
Item Weight	10 ounces
Bulb Type	LED
Amperage	30 A
Voltage	9-30 VDC
Waterproof	IP65 Rated





ACCESSORIES

BRACKETS AND GROMETS

MOUNTING BRACKETS

-  DURABLE
Durable Aluminum
-  RUST
Rust Resistant
-  EASY
Easy to Mount
-  DESIGN
Universal Design
-  WARRANTY
5 yr Warranty

EDGE & T3 GRILL LIGHT
L SHAPE

IMPACT & BLASTER HIDEAWAY
L SHAPE BRACKET

IMPACT & BLASTER HIDEAWAY
POP-IN GROMET



SPECIFICATIONS	EDGE & T3 SERIES	IMPACT & BLASTER	HIDEAWAY
SKU	Edge/Eclipse-L/Bracket	Impact/Blaster-L/Bracket	Impact/Blaster-Gromet
Product Dimensions	3.9 x 0.7 x 0.3 inches	3.3 x 3.2 x 1.3 inches	4 x 3 x 0.2 inches
Item Weight	2 ounces	2 ounces	1 ounces
Gromet/Bracket Shape	L Shape	L Shape	Round
Material	Aluminium	Aluminium	Rubber



FLEX MOUNTING BRACKETS

-  DURABLE
Durable Aluminum
-  RUST
Rust Resistant
-  EASY
Easy to Mount
-  DESIGN
Universal Design
-  WARRANTY
5 yr Warranty

FLEX GRILL LIGHT
L SHAPE BRACKET

FLEX GRILL LIGHT
C SHAPE BRACKET



SPECIFICATIONS	L SHAPE BRACKET	C SHAPE BRACKET
SKU	Flex-L/Bracket	Flex-C/Bracket
Product Dimensions	3.1 x 1.7 x 0.3 inches	2.6 x 2.5 x 0.6 inches
Item Weight	0.798 ounces	0.798 ounces
Gromet/Bracket Shape	L Shape	C Shape
Material	Aluminium	Aluminium





TRAILER LIGHT GROMMETS BRACKETS & CONNECTORS

RUBBER GROMMETS


PORTABLE
Easily Portable


EASY
Easy to Mount


DESIGN
Universal Design


WARRANTY
5 yr Warranty

2" ROUND GROMMET






2.5" ROUND GROMMET



4" ROUND GROMMET



SPECIFICATIONS	2" GROMMET	2.5" GROMMET	4" GROMMET
SKU	TLG-20R	TLG-25R	TLG-40R
Product Dimensions	2.87" x 2" x 0.81"	3.31" x 2.5" x 1.05"	5.5" x 4.12" x 1"
Item Weight	2 ounces	3 ounces	5 ounces
Grommet Type	Rubber	Rubber	Rubber
Waterproof	IP67 Rated	IP67 Rated	IP67 Rated
Available In	1,2, & 10 Pack	1,2, & 10 Pack	1,2, & 10 Pack
Shape	Round	Round	Round



RUBBER GROMMETS


PORTABLE
Easily Portable


EASY
Easy to Mount


DESIGN
Universal Design


WARRANTY
5 yr Warranty

5"X3" RECTANGULAR GROMMET



6" OVAL GROMMET



SPECIFICATIONS	5"X3" GROMMET	6" GROMMET
SKU	TLG-50S	TLG-60O
Product Dimensions	4.71" x 6.37" x 1.68"	3.12" x 7.62" x 1"
Item Weight	8 ounces	6 ounces
Grommet Type	Rubber	Rubber
Waterproof	IP67 Rated	IP67 Rated
Available Pack	1, 2 & 10 Pack	1, 2 & 10 Pack
Shape	Rectangular	Oval

